

A large school of fish, possibly mackerels, swimming in a dense, vertical column underwater. The water is a deep blue, and the fish are silvery with dark stripes. The school is elongated and tapers slightly towards the bottom.

GREENPEACE

# OCEANS

IN THE BALANCE,  
**THAILAND IN FOCUS**

# Thailand's Coastal and Marine Resources

Thailand has a total marine area of 316,118.3 km<sup>2</sup> which is divided into two distinct areas – the Gulf of Thailand in the Pacific Ocean on the east side and the Andaman Sea in the Indian Ocean on the west side. Marine fisheries and aquaculture, as well as coastal tourism and marine transportation, are the main economic activities along the coasts. Out of a population of about 67 million people, 40% or 27 million, live along the 2,614 km coastline<sup>1</sup>.

Coral reefs in Thailand's seas cover approximately 153 km<sup>2</sup> and are estimated to be home to 400 species of hard corals. The coral reefs, which are mostly small fringing reefs, are found both in the Gulf of Thailand (74.8 km<sup>2</sup>) and the Andaman Sea (78.56 km<sup>2</sup>)<sup>2</sup>. Seagrass meadows cover a total of 149.97 km<sup>2</sup>. Seagrass, which grow in relatively shallow waters, form a key feeding, breeding, and nursery ground for many species of fish, turtles, lobsters, and dugong. There are seagrass beds in 19 of the 23 coastal provinces and the country is home to 12 of the approximately 58 species of seagrass found worldwide.

Mangroves forests are found along both coasts where they stabilize the shoreline, protect against waves and storms, and provide a nursery and feeding ground for many species, including commercially important fish. There are mangrove

forests in all the 23 coastal provinces and they cover an area of approximately 2,501.94 km<sup>2</sup>. Thailand's mangroves are also important on a global scale as the country is home to 35 of a total of 50 species found worldwide.

Other significant species found in the waters of Thailand include the sea turtle, dugong, dolphin, whales and whale sharks<sup>3</sup>.

The country has a total of 21 declared marine national parks, six of which are located in the Gulf of Thailand and the remaining 15 in the Andaman Sea. In addition, there are five proposed marine national parks. The marine national parks cover a total estimated area of 5,812 km<sup>2</sup>, or 1.8 percent of the total marine area of Thailand. The majority of the marine national parks are smaller than 1,000 km<sup>2</sup> and may not be enough to provide the protected habitat area required by the larger highly-mobile marine vertebrates<sup>4</sup>.

Over 50 percent of coral reefs in Thailand are found within marine protected areas. Seagrass beds within marine protected areas are estimated at 52.09 km<sup>2</sup> or 34.7 percent of the total area covered by seagrasses in the country. As for mangroves, only seven percent of the total area covered by mangroves is found within marine national parks<sup>5</sup>.





# Threats to Coastal and Marine Ecosystems

Sedimentation, nutrient pollution from development on land, and over fishing (particularly by large trawlers now fishing close to reefs) cause major damage to the reefs of Thailand, of which over 60% have less than 50% live coral cover<sup>6</sup>. A recent assessment of coral reefs classified over 80% of reefs along the Andaman Coast and over 50% of reefs along the Gulf as either in “fair,” “bad,” or “very bad” condition and concluded that these reefs are at risk of continued degradation. An international comparative study also indicated that at least 50% of all coral reefs in Thailand experience “high” or “very high” threats<sup>7</sup>.

Other activities such as conversion of mangrove forest to shrimp farms, excessive tourism activities, and improper management of pollution have further contributed to the degradation of coastal habitats and resources<sup>8</sup>.

The degradation of seagrass beds is due to wastewater discharge from coastal industries,

urban development, shrimp farms and other forms of coastal development. Trawling and the use of push nets and dragnets can also cause severe impacts on seagrasses<sup>9</sup>.

The Andaman Sea is host to many threatened fauna species, including Dugong *Dugong dugon* which is globally vulnerable, a number of dolphin species, and four species of sea turtles: critically endangered leatherback turtles *Dermochelys coriacea* and hawksbill turtles *Eretmochelys imbricate*, green turtles *Chelonia mydas* which are classified as threatened and olive ridley turtles *Lepidochelys olivacea* which are classified as vulnerable. A mere 150 dugongs are estimated to live in the Andaman Sea, in scattered groups from Ranong to Satun Province. Accidental capture of dugong in fishing nets and the degradation of seagrass meadows, which they rely on for food, are the two main threats to dugong<sup>10</sup>.

## Coral bleaching

Coral bleaching is the most severe threat posed by climate change to coral reefs in Thailand<sup>11</sup>. Recently, the severe mass coral bleaching events in 2010 occurred on most reef sites in the country. Bleaching of reefs in the Andaman Sea was more severe and extensive than those in the Gulf of Thailand<sup>15</sup>. Bleaching events are

predicted to increase in frequency and severity in this century<sup>12,13,14,15</sup>. Coral recovery from major disturbances, such as the severe coral bleaching event in 1998, was documented in some locations<sup>20</sup>. However coral recovery capacity is likely to diminish in some locations as disturbance frequencies increase.




# Marine fisheries in Thailand

The Exclusive Economic Zone (EEZ) of Thailand covers 420,280 km<sup>2</sup>; 304,000 km<sup>2</sup> in the Gulf of Thailand and 116,280 km<sup>2</sup> in the Andaman Sea. Its maritime border is shared with Cambodia and Vietnam in the south east, Myanmar in the west and Malaysia in the south. Thai fisheries are divided into commercial fishing and small-scale fishing. Some commercial vessels are able to fish in farther fishing areas such as the Indian Ocean, South China Sea, Indonesia and even Australia.

Marine capture fisheries can be characterized as small-scale fisheries (SSF) and large-scale fisheries (LSF). The fishing boats, which are non-powered, outboard powered and inboard powered boats less than 5 gross tonnage (GT), as well as the fishing gears generally operating inshore, are considered as SSF. Also, coastal fishing operations without boats are included in SSF. Fishing boats of more than 5 GT and the fishing operations conducted offshore are LSF.


Figure 1: Distribution of marine catch



In 1995, total marine catch peaked at 2 844 409 mt<sup>32</sup>. Commercial fisheries contribute approximately 90% while small scale fisheries account for the remaining 10%<sup>33</sup> (Figure 1). A survey of marine fisheries carried out in 2000 established the total number of fishing boats at 58,119, of which 80% were small-scale<sup>17</sup>. In 2012, a new database on Thai fishing boats reported 56,979 boats of which 60% were small-scale<sup>18</sup>. This suggests decreasing proportion of small scale fishers. There are about 57,801 households of fishers employed in the fisheries sector. The total number of fishers during peak season was estimated as 168,140, of which 80,857 belong to the same family and 87,283 are employees<sup>19</sup>.

Of the total marine catch, 60% is caught in Thai waters (41% caught in the Gulf of Thailand, and 19% in the Andaman Sea), while 40% is from waters outside the Thai EEZ (Figure 2).

Figure 2: Total marine production by fishing ground




Note: Only 59% of catch came from Thailand waters while 41% were caught beyond Thailand's Exclusive Economic Zone  
Source Fig. 1 & 2: FAO

## The decline of Thailand's fisheries

The decrease in capture fishery production in Thailand is the result of the depletion of resources due to overexploitation and excessive fishing effort in both of Andaman Sea and in the Gulf. The history of marine capture fisheries in Thailand is

characterized by a steady increase in catch from 1950 until 1989 followed by the leveling of the catch for around 15 years, before it experienced a continuous decline from 2004 (Figure 3).


Figure 3: Thailand marine capture (source: FAO)



Too many boats chasing too few fish leads to overfishing. For example, one study has estimated that catch of demersal (bottom dwelling) fishes in the Gulf of Thailand should not be more than 916,000-993,000 mt<sup>20</sup> in order to be sustainable and levels are currently much higher. In the Gulf of Thailand, catch per unit effort have decreased from 300 kg per hour in 1961 to approximately 25 kg per hour in 2011 which is a period of 50 years (Figure 4).

Demersal and other fishery resources in the Gulf are severely over-fished. Reduction of excess fishing capacity, particularly in the trawl fisheries, requires urgent management attention. In the study of Kongprom et al. (2003), excess demersal fishing effort is estimated to be about 50% of the number of registered boats in 1995. The excess number of fishing boats includes 1,024 medium otter board trawlers, 1,309 large otter board trawlers, 1,081 pair trawlers, and 167 push nets. Excess fishing effort should be eliminated and new entrants effectively banned<sup>21</sup>.

Figure 4: Catch per unit effort (Kg/Hr) (source: FAO)



# Trash Fish

Trash fish refers to small sized or non-target marine animals which are caught unintentionally. They are processed into fish meal for animal feed, fish paste, or used for other purposes. Trash fish caught by trawlers is approximately 60 % of their total catch<sup>23</sup>. Up to 32% of trash fish are juvenile target species ( Figure 5). These smaller fish would have high value if they were allowed to reach maturity so they can be next generation of fish or our food<sup>22</sup>. In the last ten years, the proportion of trash fish has been increasing and target fish species is also getting smaller.

Figure 5: Trawler catch

Note: Trawlers scrape the bottom of the gulf wasting 19.2% of juvenile economic fish.




Figure 6: Catch distribution according to vessels





Figure 7: Total marine production





# Illegal Unreported and Unregulated (IUU) Fishing within Thai Waters

The violation of regulations by fishers includes entering prohibited areas where fishing is banned and using illegal fishing gear in Thai waters and within the Exclusive Economic Zones of other coastal States. In coastal waters, there are widespread violations of fishing regulations, including fishing during closed periods, the use of very small illegal mesh sizes, which catch juvenile fish, and the destruction of fish habitats such as mangroves, seagrass beds and coral reefs.

## Violations

- encroachment of commercial fishing vessels e.g. pair- trawlers, otter-board trawlers, anchovy purse seiners, purse seiners and scoop netters into 3 km<sup>25</sup>.
- In 2011, there were 61 recorded violations of the closed season and another six incidents of other illegal fishing in the Gulf of Thailand.
- In the Andaman Sea, small scale fishers of Satun Province reported encroachment by commercial boats during the closed season<sup>26</sup>
- push netters are still operating illegally along the coast in areas such as Ranong and Satun
- Provinces on the Andaman Sea<sup>27</sup> and in Chumporn, Nakhorn Sri Thammarath and Trat in the Gulf<sup>28</sup>. There are currently more than 2,100 unregistered trawlers<sup>29</sup>
- In 2011, there were 40 incidents of encroachment of Vietnamese fishing vessels into Thai waters. In January 2012, eight incidents were reported<sup>30</sup> and in February 2012, two incidents were reported<sup>31</sup>. These fishers operate with longline, squid hook & line, conger eel fishing and trawling vessels.

## Conclusion















Thailand's marine and fisheries resources are on the verge of collapse. It takes both ecosystems and fish to support the livelihoods of fishers and the entire fisheries value chain. Conflict among users is the result of the diminishing supply of resources. If appropriate management measures are not enforced through enabling laws and policy, the inevitable proliferation of illegal fishing problems and the destruction of the oceans will continue. While people and ecosystems


can adapt to impacts of climate change and natural disasters, there is a limit. Ensuring that the remaining resources are still intact increases our chances to adapt to extreme changes in our environment. To do this, Greenpeace supports the global movement for the complete elimination of all forms of illegal, unreported and unregulated fishing and the shift to sustainable fisheries and the creation of marine reserves to ensure the health of the oceans.



# THAILAND

## LEGEND

-  Coral reefs
-  Mangroves
-  Sea grass
-  Marine national parks
-  Dugong sighting
-  Sea Turtle sighting
-  Dolphin sighting
-  Whale sighting
-  Petroleum Concession
-  Capital
-  Coastline
-  3 km fishing zone exclusive for small scale fishers
-  Exclusive Economic Zone (EEZ)
-  Medium otter board trawl fishing areas



**Sources / Notes**  
Data for mangroves, corals, sea turtles, Dugong, Bryde's whale and dolphins are based on the Report "Manual System of Marine Protected Areas" published by Department of Marine and Coastal Resources. Icons are indicative e.g. Sea turtle icon = 37 sightings, Dugong icon = 5 sightings, Dolphin icon = 9 and Whale icon = 7 sightings.

Data for medium size Otter Board Trawl (OBT) based on Kongprom et al. (2003) as cited in M. Supongpan & P. Boonchuwong (2010) THAILAND: National Report By-catch Management in Trawl Fisheries in the Gulf of Thailand

OBT with length overall (LOA) 14-18 m has an average 27 gross ton; OBT with LOA 18-25 m has an average 56 gross ton and OBT with LOA >25 m has an average 180 gross ton.

Amante, C. and B. W. Eakins, ETOPO1 1 Arc-Minute Global Relief Model: Procedures, Data Sources and Analysis. NOAA Technical Memorandum NESDIS NGDC-24, 19 pp, March 2009.

Icons for oil concessions are indicative based on "Thailand Petroleum Concession Map" published in March 27, 2009 by the Department of Mineral Fuels, Ministry of Energy.





# Marine Resources



## Coral Reefs<sup>i,ii,iii,iv,v</sup>

- \* Gulf of Thailand (GoT) – **74.8** km<sup>2</sup>
- \* Andaman Sea – **78.56** km<sup>2</sup>
- \* Total Area **153** km<sup>2</sup>
- \* Only **40.3%** of the total area is under protection
- \* over **60%** have less than **50%** live coral cover
- \* **400** species



## Seagrass<sup>vi,vii,viii</sup>

- \* Total Area **149.97** km<sup>2</sup>
- \* only **35%** of the total area is under protection
- \* **12** species



## Mangroves<sup>ix,x</sup>

- \* Total area **2,501.94** km<sup>2</sup>
- \* only **7%** of the total mangrove cover is under protection
- \* **35** species



## Marine National Parks<sup>xi</sup>

- \* **6** in the Gulf of Thailand
- \* **15** in Andaman Sea
- \* **5,812** km<sup>2</sup>

# Endangered species<sup>xii</sup>



## Dugong

A mere 150 dugongs (*Dugong dugon*) are estimated to live in the Andaman Sea, in scattered groups from Ranong to Satun Province. Accidental capture of dugong in fishing nets and the degradation of seagrass meadows, which they rely on for food, are the two main threats to dugong.



## Sea Turtles

The Andaman Sea is host to four species of sea turtles: critically endangered leatherback turtles (*Dermochelys coriacea*) and hawksbill turtles (*Eretmochelys imbricate*), green turtles (*Chelonia mydas*) which are classified as threatened and olive ridley turtles (*Lepidochelys olivacea*) which are classified as vulnerable.



## Dolphins<sup>xx</sup>

The Gulf of Thailand is home to seven species of dolphins. About 303 sightings have been reported. According to the International Union for Conservation of Nature (IUCN) Red List of Threatened Species, Irrawaddy dolphin (*Orcaella brevirostris*) which is included in the seven species is classified as vulnerable which means it is considered to be facing a high risk of extinction in the wild.<sup>xxi</sup>



## Whales<sup>xx</sup>

There is one species of whale recorded - Bryde's whale (*Balaenoptera edeni*). A total of 75 sightings have been reported.



# Threats

## Overfishing

- \* widespread destructive fishing and trawling have had impacts on coral reefs since the early 1960s<sup>xiii</sup>.
- \* Illegal, Unreported and Unregulated (IUU) Fishing<sup>xiv</sup>
- \* 2005 Statistics \_Source: DoF
  - Otter Board Trawl 4,344
  - Pair Trawler 1,232
  - Bottom Trawl 60
  - Purse Seine 1,298
  - Push Net 539

## Climate Change

- \* Coral reefs in the Andaman Sea suffered extensive coral bleaching and subsequent mortality in 1991 and 1995, and some bleaching was observed in 1998<sup>xv</sup>
- \* Coral bleaching during the 1997– 98 ENSO event was widespread in the Gulf of Thailand - as many as 60 percent of corals may have bleached in some locations<sup>xvi</sup>. Unfortunately, the frequency and intensity of bleaching in Thai waters appear to be increasing.

## Pollution and Sedimentation

- \* Tourism and other population pressures, have caused sedimentation and wastewater pollution to increase, and damage from boat anchors, divers, garbage, erosion, and sewage and wastewater discharge is evident<sup>xvii</sup>.
- \* Sedimentation and pollution associated with coastal development and inland activities threaten over 40 percent of the country's reefs<sup>xviii</sup>.

- i. Chansang, H. 2000. Coral Reef Management in Thailand. Presented presented at the 9th International Coral Reef Symposium, Bali, Indonesia, Oct. 23-27, 2000.
- ii. UP-MSI, ABC, ARCBC, DENR, ASEAN, 2002. Marine Protected Areas in Southeast Asia. ASEAN Regional Centre for Biodiversity Conservation, Department of Environment and Natural Resources, Los Baños, Philippines. 142 pp., 10 maps.
- iii. Spalding, M., C. Ravillious and E.P. Green, 2001. World Atlas of Coral Reefs. University of California Press, California, USA.
- iv. Wilkinson C.W(ed), 1998. Status of Coral Reefs of the World: 1998. Global Coral Reef Monitoring Network, Australian Institute of Marine Science, Australia.
- v. ASEAN Regional Center for Biodiversity Conservation (ARCBC). December 2010. Protected Areas Gap Analysis in the Asean Region. 77 pp.
- vi. UP-MSI, ABC, ARCBC, DENR, ASEAN, 2002. Marine Protected Areas in Southeast Asia. ASEAN Regional Centre for Biodiversity Conservation, Department of Environment and Natural Resources, Los Baños, Philippines. 142 pp., 10 maps.
- vii. Spalding, M., C. Ravillious and E.P. Green, 2001. World Atlas of Coral Reefs. University of California Press, California, USA.
- viii. Green E.P. and F.P. Short. 2003. World Atlas of Seagrasses. UNEP World Conservation and Monitoring Centre. University of California Press, Berkeley, USA
- ix. UP-MSI, ABC, ARCBC, DENR, ASEAN, 2002. Marine Protected Areas in Southeast Asia. ASEAN Regional Centre for Biodiversity Conservation, Department of Environment and Natural Resources, Los Baños, Philippines. 142 pp., 10 maps.
- x. ASEAN Regional Center for Biodiversity Conservation (ARCBC). December 2010. Protected Areas Gap Analysis in the Asean Region. 77 pp.
- xi. ASEAN Regional Center for Biodiversity Conservation (ARCBC). December 2010. Protected Areas Gap Analysis in the Asean Region. 77 pp.
- xii. UNEP,Natural Rapid Environmental Assessment: Thailand. 36-55 pp. In UNEP report. After the Tsunami: Rapid Environmental Assessment. 2005. 140 p.
- xiii. S. Sudara and O. Patimanukasaem, "Large-scale Anchovy Fishing in the Gulf of Thailand: A New Threat to Reef Fish Communities," in A.C. Alcala, ed., The Regional Symposium on Living Resources in Coastal Areas(Quezon City: The Regional Symposium on Living Resources in Coastal Areas, 1991), pp. 581-83.
- xiv. Marine Science Institute, University of the Philippines, 1991), pp. 581-83.
- xv. See the News of 7 fishing boats with 32 crews fishing illegally in Thai Water from <http://www.manager.co.th/local/viewnews.aspx?NewsID=955000006640>
- xvi. Data for 1991/95 from Yeemin et al., "International Coral Reef Initiative Country Report: Thailand," p.6; data for 1998 from Reef Check, Reef Check Database(Los Angeles, California: Reef Check, 1998).
- xvii. Spalding, Ravillious, and Green, World Atlas of Coral Reefs, p. 263.
- xviii. T. Yeemin et al., "International Coral Reef Initiative Country Report: Thailand," paper presented at the International Coral Reef Initiative Regional Workshop for East Asia, Cebu, Philippines, April 2, 2001, p. 7.
- xix. Burke et al. 2002. Reefs at Risk in Southeast Asia. World Resources Institute.
- xx. Based on "Manual System of Marine Protected Areas" prepared by Department of Marine and Coastal Resources.
- xxi. IUCN 2012. IUCN Red List of Threatened Species. Version 2012.2. <[www.iucnredlist.org](http://www.iucnredlist.org)>. Downloaded on 18 June 2013.






## Going...going...gone

Habitat destruction and overfishing are causing fish populations to plummet and commercial fish prices to soar. The total catch for King Mackerel for instance, has decreased 43% in a space of four years, from 24,600 tons in 2006, down to 10,500 tons in 2010 (Figure 8). Price of the same fish has

a 60% increase in 5 years, from 105 Thai Baht per kilogram in 2008 to 175 Thai Baht in 2013. If nothing is done to restore fish populations, fish we normally eat today may be luxury items in the future or could disappear from our plates all together.

Figure 8: Declining catch of important food species



Note: Overfishing has decimated important species resulting in expensive prices for these species.

Source: Department of Fisheries (DoF)



To save Thailand's oceans from an impending crisis, Greenpeace is supporting priority interventions for the sustainable management of the country's coastal and marine resources and is proposing the following measures:

**1) Institutional rearrangement.**

There is a need to initiate the adoption of a national marine interest policy and coordinating mechanisms for Thailand.

**2) Enact Bill on the Management of Coastal Areas.** This draft law formalizes existing practices proven to be effective, including community participation in preparing management plans and designating competent officers from various government agencies to share the responsibility of implementing and enforcing the law.

**3) Improve protected area management.** Lessons learned from projects should be incorporated into government policies which give authorities new mandates for participatory and decentralized management.

**4) Improve the enforcement of coastal and marine-related regulations.** Thailand needs to focus on the effective enforcement of environmental laws as well as stronger institutional capacity and increased investments in pollution prevention and control, with private sector participation.

**5) Support and establish wastewater treatment and solid waste disposal systems.** Waste water and solid waste disposal from various activities including industries, harbors, fishing ports, and from urban and agricultural areas should be regulated not only in major hotspots, but also at all coastal communities and fishing piers in Thailand.

**6) Promote sustainable fisheries management by adopting an ecosystems approach to fisheries management.** The Department of Fisheries should review and change policies so that sustainable fishing methods are prioritized and that the most destructive fishing methodologies are phased out.

**7) Natural and Manmade Hazard Management Planning.**

There is a need to prepare national framework strategies for climate change, coastal erosion, natural habitat degradation and man-made hazards from ships, including oil, hazardous and noxious substances.

**8) Revise coastal land use planning to support integrated coastal management.** Laws, policies and regulations pertaining to land use, coastal and marine management should be reviewed and harmonized such that it does not affect sustainability of resources, environment is not destroyed or polluted, and that benefits are enjoyed by majority of Thai people.

**9) Promote research and monitoring of marine and coastal resources.** Thailand has developed an impressive and regionally significant research capacity, but research tends to be carried out in a fragmented and uncoordinated manner.

**10) Integrate marine biodiversity and ecosystem conservation into economic planning and production landscapes.** Planning processes should take into account larger areas and incorporate multiple land uses from hills to sea.

**11) Budget plans for the medium and long term financing of marine and coastal resources conservation.** Although the government has provided significant finance for marine and coastal conservation, it does not have a medium- or long-term plan for sustainable financing.

**12) Harness markets and the private sector in marine and coastal resources conservation and sustainable use.** Effective regulations and enforcement mechanisms should prevent unsustainable practices from taking place. Government should support efforts towards sustainable fishing practices in partnership with coastal fishing communities.



# Endnotes

- Department of Marine and Coastal Resources (DMCR), 2012. Status of Marine and Coastal Resources, 2007 – 2011. Department of Fisheries, 2012. Fishery statistics of Thailand 2010. Information Technology Center, Department of Fisheries, Ministry of Agriculture and Cooperatives.
- Chansang, H. 2000. Coral Reef Management in Thailand. Presented at the 9th International Coral Reef Symposium, Bali, Indonesia, Oct. 23-27, 2000.
- ASEAN Regional Center for Biodiversity Conservation (ARCBC). December 2010. Protected Areas Gap Analysis in the ASEAN Region. 77 pp.
- ARCBC. 2010.
- ARCBC. 2010
- Wilkinson C.W.(ed), 1998. Status of Coral Reefs of the World: 1998. Global Coral Reef Monitoring Network, Australian Institute of Marine Science, Australia.
- Department of Marine and Coastal Resources (DMCR), 2012. Status of Marine and Coastal Resources, 2007 – 2011.
- UP-MSI, ABC, ARCBC, DENR, ASEAN, 2002. Marine Protected Areas in Southeast Asia. ASEAN Regional Centre for Biodiversity Conservation, Department of Environment and Natural Resources, Los Baños, Philippines. 142 pp., 10 maps.
- UNEP. Natural Rapid Environmental Assessment: Thailand. 36-55 pp. In UNEP report. After the Tsunami: Rapid environmental assessment. 2005. 140 p.
- UNEP, op. cit. 36-55pp.
- Yeemin T, Saenghaisuk C, Sittiporn P, Klinthong W, Sangmanee K, Yucharoen M, Donsomjit W, Saengsawang L, Nuclear P, Sutthacheep M (2010) Status of coral reefs in Thailand following the 2010 coral bleaching event. In: Kimura T, Tun K (eds) Status of Coral Reefs in East Asian Seas Region: 2010. Ministry of the Environment, Japan, pp 29-49
- Hughes TP, Baird AH, Bellwood DR, Card M, Connolly SR, Folke C, Grosberg R, Hoegh-Guldberg O, Jackson JBC, Kleypas JA, Lough JM, Marshall P, Nystrom M, Palumbi SR, Pandolfi JM, Rosen BR, Roughgarden J (2003) Climate change, human impacts, and the resilience of coral reefs. *Science* 301:929-933
- Hoegh-Guldberg O, Mumby PJ, Hooten AJ, Steneck RS, Greenfield P, Gomez E, Harvell CD, Sale PF, Edwards AJ, Caldeira K, Knowlton N, Eakin CM, Iglesias-Prieto R, Muthiga N, Bradbury R H, Dubi A, Hatzioi ME, (2007) Coral Reefs under rapid climate change and ocean acidification. *Science* 318:1737-1742
- Burke L, Reynter K, Spalding M, Perry A (2011) Reefs at Risk Revisited. World Resources Institute. Washington DC, p 114
- Hoegh-Guldberg O, (2011) Coral reef ecosystems and anthropogenic climate change. *Regional Environmental Change* 11:S215-S227
- Yeemin T, Saenghaisuk C, Sutthacheep M, Pengsakun S, Klinthong W, Sangmanee K (2009) Conditions of coral communities in the Gulf of Thailand: a decade after the 1998 severe bleaching event. *Galaxea* 11:207-217.
- FAO. 2009. FISHERY AND AQUACULTURE COUNTRY PROFILE: NATIONAL FISHERY SECTOR OVERVIEW THAILAND. Accessed 17 June 2012 from [http://www.fao.org/fishery/countrysector/FI-CP\\_TH/en](http://www.fao.org/fishery/countrysector/FI-CP_TH/en)
- Thai Fishing Boat Database. Accessed 20 June 2012 from <http://www.platalay.com/boatsurvey2554/index.php>. In this database all type of boat and gears in all coastal areas are aggregated and agglomerated.
- Fisheries statistics of Thailand, 2009. Department of Fisheries. No. 9/2011. 91 page.
- M. Ahmed at al. (2007) Overfishing in the Gulf of Thailand: policy challenges and bio economic analysis. In *Environment and Development Economics* 12: 145–172. 2007 Cambridge University Press
- Kongprom A., P. Khaemakorn, M. Eiamsa-ard and M. Supongpan. 2003. Status of demersal fishery resources in the Gulf of Thailand p. 137 - 152. In G. Silvestre, L. Garces, I. Stobutzki, M. Ahmed, R.A. Valmonte-Santos, C. Luna, L. Lachica-Aliño, P. Munro, V. Christensen and D. Pauly (eds.) *Assessment, Management and Future Directions for Coastal Fisheries in Asian Countries*. WorldFish Center Conference Proceedings 67, 1 120 p.
- FAO. 2005. APFIC Regional Workshop on Low Value and “Trash Fish” in the Asia-Pacific Region, Hanoi, Viet Nam, 7-9 June 2005. Bangkok, FAO. RAP Publication 2005/21 Funge-Smith, S.; Lindebo, E. and D. Staples. *Asian fisheries today: the production and use of low value/ trash fish from marine fisheries in the Asia-Pacific region*. Bangkok, FAO. RAP Publication 2005/16
- Sampan Panjarat, Sonthaya Boonsuk, Montri Sumontha, Sichon Hoimook and Wanlee Singtongyam. Stock assesment of lizardfishes, *Saurida undosquamis* (Richardson, 1848) and *S. elongata* (Temminck & Schlegel, 1846) along the Andaman Coast of Thailand. . Marine Fisheries Development Center, Department of Fisheries. In press.
- DOF, Thailand. Statistic on Fisheries Production 2004, Ministry of Agriculture and Cooperatives, Bangkok. 2006. 31-33 pp.
- From [http://www.fisheries.go.th/secretary/pr/news\\_detail.php?news\\_id=334](http://www.fisheries.go.th/secretary/pr/news_detail.php?news_id=334)
- Khun Aree, the representative of small scale fishers of Satun Province. The meeting for public hearing to improve the effectiveness of the Seasonal Close Measure of the Andaman Sea Coast of Thailand, 25 June 2555.
- See the video of patrolling and catching the push netters from <http://news.thaipbs.or.th/video/>
- News at <http://www.saveoursea.net/forums/showthread.php?t=2045>
- See <http://www.thaiday.com/South/ViewNews.aspx?NewsID=9550000064806>
- See the News of 7 fishing boats with 32 crews fishing illegally in Thai Water from <http://www.manager.co.th/local/viewnews.aspx?NewsID=9550000006640>
- See <http://www.thaiday.com/South/ViewNews.aspx?NewsID=9550000064806>
- [http://www.fao.org/figis/servlet/SQServlet?file=/work/FIGIS/prod/webapps/figis/temp/hqp\\_1326598330613186676.xml&outtype=html](http://www.fao.org/figis/servlet/SQServlet?file=/work/FIGIS/prod/webapps/figis/temp/hqp_1326598330613186676.xml&outtype=html)
- Reference this to the FAO country profile

# Credits

Research Team - Sakanan Plathong | Sirasa Kantaratanakul  
 Editors - Lea Guererro | Mark Dia | Ephraim Batungbacal  
 Layout/Info Graphics - Fluidkoncepts - fluidkoncepts.com  
 Map Design - Leonard Soriano

## Photo Credits

Cover page: Darren Jew / Greenpeace  
 Page 1,10. Baramée Temboonkiat / Greenpeace  
 Page 2. Roger Grace / Greenpeace  
 Page 6,8,9. Athit Perawongmetha / Greenpeace

Greenpeace Southeast Asia (Thailand Office)  
 1371 Capital Building, G Floor,  
 Phaholyothin Road, Samsennai,  
 Phayathai, Bangkok 10400  
 Tel. (02) 357 1921  
 Fax: (02) 357 1929  
 e-mail: [info.th@greenpeace.org](mailto:info.th@greenpeace.org)  
[www.greenpeace.or.th](http://www.greenpeace.or.th)

Printed on 100% recycled paper using soya-based ink.